

University of Groningen

Onderzoeken over de locale passieve pollenovergevoeligheid

de Graaf, Jan

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1933

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

de Graaf, J. (1933). *Onderzoeken over de locale passieve pollenovergevoeligheid*. []. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN.

I.

Bij patiënten, die chronisch invalide zijn door een decompensatio cordis, verdient de totale thyreoïdectomie, als rationeele behandelingswijze, ernstige overweging.

II.

Bij de behandeling van coxa vara adolescentium zij men zoo conservatief mogelijk.

III.

Keratitis punctata superficialis is geen zelfstandige oogziekte, doch een symptoom van zeer verschillende aandoeningen.

IV.

De oorzaak van het begin der baring dient men in de hormonen der placenta te zoeken.

V.

Het is niet waarschijnlijk, dat met de methode van LÖWENSTEIN tuberkelbacillen aangetoond kunnen worden in het bloed van lijders aan niet-tuberculeuze aandoeningen.

VI.

Glycogeenstapelziekte is in vele gevallen de oorzaak van de z.g. idiopathische hartshypertrophie bij kinderen.

VII.

Het is mogelijk, dat serumcolloïden de glomerulus-kapsel passeeren.

VIII.

De oorzaak van het bakkerseczeem blijft, niettegenstaande de beweringen van recente onderzoekers, nog onopgehelderd.

IX.

De patella mag niet als prototype van een sesambeentje worden opgevat.

X.

Het is gewenscht, dat er eenheid gebracht worde in de eischen, welke bij de medische keuring voor het rijvaardigheidsdiploma gesteld worden.